



A STROKE TOWARDS... A MASTERPIECE



Opposite Gannavaram Airport, Beside Medha IT Park
VIJAYAWADA

Floor Plans Booklet
CHOOSE
THE BEST FOR
YOURSELF

A Perfect HARMONIZE WITH LUSHNESS AND LUXURY






LIVING ROOM





KITCHEN






WELCOME TO ONE OF THE MOST MODERN PROPERTIES OF ANDHRA PRADESH LOCATED OPPSITE GANANAVARAM INTERNATIONAL AIRPORT **AND MEDHA IT PARK & HCL TECHNOLOGIES**

SUNRISE VISTAS OFFERS A VARIETY OF VILLAS.

CHOOSE FROM DIFFRENT TYPES OF FLOOR-PLANS THAT SUITES YOU.





Master Plan
VILLAS TO SUIT
YOUR EVERY NEED







10 Varieties CHOOSE THE BEST FOR YOURSELF

Sunrise Vistas offers a range of independent duplex villas for sale in Vijayawada. Our 3 BHK & 4 BHK home villas and row houses are expertly planned to maximize the carpet area for your home.

These luxury villas and row houses in Vijayawada include spacious balconies and terraces letting you spend hours taking in the natural scenic beauty at Sunrise Vistas.

Whether you like to be on your own or whether you are a social butterfly, our luxury villas and row houses at Sunrise Vistas ohave space for everyone.



SCHEMATIC DIAGRAM

Total 62

S.No	Sizes	Area in Sft.	Villa Numbers	No of Villas
1	33' x 54'	2638	16, 17, 18, 19, 20, 21, 22, 23, 25, 26, 27 28, 29, 30, 31, 46, 50, 51, 52, 55, 56, 57 58, 59, 67, 68, 69, 72	
2	33' x 60'	2746	1, 2, 3, 4, 5, 6, 82, 83, 84, 85, 95, 96, 97, 98	14
3	30' x 54'	2356	24	1
4	54' x 40'	2727	77	1
5	41'.9" x 47'.9"	2639	73, 74	2
6	25'.9" x 54'	2093	60	1
7	35'.6" x 46'	2548	132, 133	2
8	35' x 42'	2404	74A, 75, 76	3
9	35' x 86'	3712	127, 128, 129, 130, 131	5
10	35' x 60'	2448	67, 68, 69, 70, 71	5

Total

S.No	Sizes	Area in Sft.	Villa Numbers	No of Villas
11	33' x 54'	2607	33, 34, 35, 36, 37, 39, 40, 41, 42, 43 44, 45, 79, 80, 81, 87, 99, 100, 101, 102 103, 104, 105, 106.	24
12	33' x 60'	2764	61, 88, 89, 90, 91, 92, 93, 94, 116, 117 118, 119, 123, 124.	14
13	30' x 60'	2477	62, 63, 64, 65, 66, 122.	6
14	30'.9" x 54'	3278	73, 74	2
15	25' x 55'	2202	86	1
16	45'.6" x 67'.6"	2887	121	1
17	37'.3" x 51'.9"	2767	125, 126	2

NORTH
Total
18

S.No	Sizes	Area in Sft.	Villa Numbers	No of Villas
18	30' x 60'	2698	7, 8, 9, 10	14
19	33' x 59'	2925	38, 53, 54, 107, 108, 109, 110	6
20	35' x 47'	2638	15, 134, 135, 136, 137, 138	2
21	42'.6" x 70'	3295	115	1

SOUTH Total 9

S.No	Sizes	Area in Sft.	Villa Numbers	No of Villas
21	30' x 60'	2428	111, 112, 113, 114	14
22	33' x 59'	2649	11, 12, 13, 14.	6
23	35' x 47'	3067	120	2

E


East Facing Independent Villa





01 EAST

33 x 54 Sq.yds **198 sq.yds**

Ground Floor	Clob Aros	
First Floor	: 1086 Sft	Slab Area 2638 Sf
Second Floor	: 466 Sft	2030 31







E


East Facing Independent Villa





03 EAST

30 x 60 Sq.yds **200** Sq.yds

Ground Floor	: 1010 Sft	Slab Area
First Floor	: 1010 Sft	2448 Sft
Second Floor	· 428 Sft	2440 SIL








E


East Facing Independent Villa




35 x 43 Sq.yds 167 sq.yds

Ground Floor	Slab Area	
First Floor	: 997 Sft	2404 Sft
Second Floor	: 410 Sft	2404 011







STEP UP for REJUVENATION

INDULGE IN DIVERSE WORLD-CLASS AMENITIES

Apart from the joy of living around trees, you will also be able to enjoy the world-class amenities that are replete at Sunrise Vistas - Club House







Club House Amenities:



Grand Entrance Plaza with Security Room



Mini Function / Event Hall



Snooker





Badminton Court



Cafeteria Provision



Reflexology Pathways



Association Room



Air Conditioned



Table Tennis



Cricket Nets



Ambulance Service



Senior Citizens Park



Guest Rooms



Conference Room



Swimming Pool with Toddler's pool



Golf Simulator



Air Hockey



Football




Children's



Play Area









Saloon & Spa



Landscaped Seating Areas



Surveillance







THE CLUB HOUSE







East Facing Independent Villa




35 x 86 Sq.yds 334 sq.yds

Ground Floor	: 1606 Sft	Slab Area
First Floor	: 1606 Sft	3712 Sft
Second Floor	: 500 Sft	37 12 310









West Facing Independent Villa




33 x 54 Sq.yds 198 sq.yds


 Ground Floor
 : 1086 Sft
 Slab Area

 First Floor
 : 1086 Sft
 2607 Sft

 Second Floor
 : 466 Sft









West Facing Independent Villa




02 WEST


33 x 60 Sq.yds **220 Sq.yds**

Ground Floor : 1140 Sft

First Floor : 1140 Sft
Second Floor : 466 Sft

Slab Area 2764 Sft







N

North Facing Independent Villa



01 NORTH


33 x 59 Sq.yds **216 sq.yds**

 Ground Floor
 : 1180 Sft


 First Floor
 : 1180 Sft

 Second Floor
 : 565 Sft

Slab Area 2925 Sft












02 NORTH 35 x 47 Sq.yds 183 sq.yds


 Ground Floor
 : 1019 Sft


 First Floor
 : 1019 Sft

 Second Floor
 : 600 Sft

Slab Area
2638 Sft









South Facing Independent Villa



30 x 59 Sq.yds 197 Sq.yds

Ground Floor	: 951 Sft	Slab Area
First Floor	: 951 Sft	2428 Sft
Second Floor	· 526 Sft	2420 Sit







Structure

RCC framed structure with RCC slabs & beams system Super structure

Super structured

- External walls in brick masonry 9" thick using Solid Fly Ash Blocks / light weight bricks/ AAC blocks
- Internal walls in brick masonry 4½" thick using Solid Fly Ash Blocks / light weight bricks/ AAC blocks

Wall Finishes

- Internal Walls Smoothly prepared surface with putty with Asian paints or equivalent make over
- External Walls Double coat plastering, with Weather proof paint in Smooth or Textured finish of Asian paints or equivalent make
- Internal Walls Single coat plastering, exposed surfaces shall be finished with two coats of roller applied plastic emulsion of Asian paints or equivalent make over smoothly prepared surface with putty
- External Walls Weather proof paint in Smooth or Textured finish of Asian paints or equivalent make Water proofing
- · Water proofing in all toilets and other wet areas and Terrace Area with Brush Bond

Bath Fixtures & Plumbing

- Washbasins: Bedroom toilet wash basins of Duravit / TOTO or equivalent of counter below type
- EWC: wall mounted EWC of Duravit / TOTO or equivalent with concealed flush tank, health faucet and angle stopcocks
- CP Fixtures / Faucets: Basin Mixers: Grohe / Bravat / Kohler or equivalent mixer for hot and cold water & angle stopcocks
- Shower: concealed single lever diverter for hot and cold water, over head shower & spout of Grohe / Bravat / Kohler or equivalent
- Kitchen Bowls: Plumbing lines only will be provided for Sink in Kitchen and Utility.
- Geyser: Provision for Geyser's in all Toilets and Utility
- Maid Toilet's: EWC with Flush Tank & One Spout Tap will be provided
- False Ceiling All internal drainage lines shall be under deck covered with Grid false ceiling to facilitate serviceability

Water proofing

· Water proofing in all toilets and other wet areas

Joinery

• Frames o Main door frame in solid sal Wood / Imported Finger Jointed Rubber Wood covered with Veneer with Architraves finished with Melamine polish o Internal door frames in solid sal wood / Imported Finger Jointed Rubber Wood frames covered with Veneer with Architraves finished with Melamine polish

Shutters

- Main door: Flush shutter with Teak / OAK Veneer finished with Melamine polish
- Bedroom doors: Flush shutters with Teak / OAK Veneer finished with Melamine polish
- Toilets & Utility door: Flush shutter finished with one side Teak / OAK Veneer finished with Melamine polish and other side finished with Paint / Laminate
- Hardware: Door Hinges and Tower bolts in SS / Brass SS Coated of Quba or equivalent make
- Windows: Window Double Track Sliding Powder Coated / Anodised Aluminium / UPVC Windows with 5mm Glass and standard Hardwares

Railings

· External and internal Railings in Mild Steel with enamel paint

SPECIFICATION

Electrical Fixtures & Cables

- Light points: one light point for every 150 sft of built up area for each unit. Two way light points one each in bed rooms.
- Fan points: One point each in Drawing, Living, all bedrooms, dining, kitchen, Media Room
- · Exhaust fan points in all toilets
- . Bell: one call bell point with buzzer outlet in drawing
- · Provision for Foot lamps in all bedrooms
- Power Sockets: 5AMPS: 2 nos 5amps in each bed rooms, 1 no 5 amp in each toilet, two each in dining and drawing, 1 each in sitouts, 3nos in kitchen (for cook top, chimney and RO unit)
- 15 AMPS: 1 in each toilet for geysers, 6 nos for refrigerator, washing machine, oven and other kitchen appliances in Kitchen and Utility
- 20 AMPS: Junction Box: Split type AC'S points in all bedrooms, dining, Media Room, living and drawing
- TV Cable Outlets: Conduit for TV Cable in Living, Drawing, Media Room & Master Bedroom
- Telephone: Telephone points with conduit and without wire in master bedroom and drawing
- Intercom: Intercom wiring and point in Living room to connect between all units and security room
- Internet: Internet cable conduit provision in Living Room
- Earthing: Multi strand copper wire for earthing by means of loop system. Separate earthing for transformer, DG set and lighting protection
- Distribution Boards with ELCB's and MCB's of MDS legrand/ ABB/Havells or equivalent make
- Switches: MDS mosaic / Legrand / Schneider/ Panasonic or equivalent make
- Cables: Concealed Copper Wiring of Polycab / Fenolex / Laap or Equivalent make
- Power Backup: Power Backup for Common Areas

Flooring & Skirting

- Foyer, Drawing, Living & Dining: Peacock Beige / Aghora Beige Imported Marble flooring with Polish
- Master Bedroom & Home Theatre: Laminated wood flooring of PERGO / equivalent Make
- Other bedrooms, Kitchen, & office room: 800 MM X 800 MM Full Body Vitrified Tiles of Multistone / Italica or equivalent make
- Sitouts: 2' X 1' Antiskid Full Body Vitrified / Ceramic Tiles of Multistone / Italica or equivlent make / Natural Stone
- Toilets & Utility: 1' X 1' Antiskid ceramic Tiles of Multistone / Italica or equivalent make and Leather Finish Natural Stone Flooring in Shower areas
- Pathways & Other Hard Surfaces in Landscaped areas: Rough Tandoor stone slabs
- Parking Area: Cement Concrete Flooring / Rough Tandoor stone slabs

Dado

- Toilets: Dado upto 8' (lintel Height) in Wet Area and upto 4' in Dry Area in glazed ceramic tiles of Multistone / Italica or equivalent make
- Kitchen: Dado Not in Scope
- Utility: Dado upto 4" in glazed ceramic tiles of Multistone / Italica or equivalent make

Counter Tops

- Toilet Washbasins: in 18 mm Thick Polished Tan Brown / Black Granite slabs
- · Kitchen & Utility Platform: Not in Scope

Services

- Water Supply: water supply shall be means of pneumatic system from central tank. Supply of water shall be from municipal main and bore well. Supply from bore well shall be treated as requirement.
- STP: Centralised Sewerage Treatment Plant for treating sewerage water to be used for Landscaping
- Drainage: Internal and external drainage lines in GRADE 'B' UPVC of Prince / Astral / equivalent make.






Medha IT Park

GANNAVARAM
GATEWAY TO AMARAVATI

Gannavaram International Airport



Disclaimer: This brochure is having only conceptual Presentation of the Project and not a Legal oering the promoters reserve the rights to make changes in plans, specifications and elevation as deemed fit.



ARCHITECTS:
Ar. KONA SARATH, B.Arch., MURP

ARCHITECTS: Veer Kumar T V.C Associates, Visakhapatnam